

Floors that define your space





INSPIRATION m²

We believe that the foundation of any interior design is the floor, it sets the mood and tone for the space and underwrites the standard of finish. Which is why we understand the importance of a carefully curated collection of floors, that can stand up to the widest range of aesthetic demands. Our flooring collections are expertly selected to create inspiring spaces for all interiors, with continuous updates following upcoming design trends. Whatever the project we are confident we have the right floor for your needs.

We combine over a century of skill and craft with leading technology to develop the next generation of hardwood flooring. We continue to invest in trend forecasting, the quality of our products, and our people. We ensure we provide value, insight and inspiration in everything we do, with a degree of experience and enthusiasm that we are sure permeates into every m² of our evolving product range.

CONTENTS

| | |
|----------------------------|----|
| Introduction | 02 |
| Environment | 04 |
| Icons | 06 |
| Product Overview | 08 |
| Trends | 10 |
| Choosing your Floor | 20 |
| Parquet | 22 |
| Contemporary | 30 |
| Classic | 40 |
| Refined | 48 |
| Raw | 52 |
| Luxury Vinyl | 54 |
| Bespoke Flooring | 58 |
| Projects | 60 |
| Installation & Maintenance | 76 |
| Fitting Specification | 78 |
| Finishing Products | 81 |
| About Us | 82 |



CARING ABOUT OUR ENVIRONMENTAL FOOTPRINT

Wood is an amazing natural resource and we feel privileged to work with it. Environmental responsibility is at the heart of Atkinson & Kirby and we are proud to support sustainable timber production with a host of environmental and sustainable accreditations.

From 1903 to the present day we have taken pride in the quality of our floors and we continue to be just as meticulous in our timber selection, making sure the origin of our wood is from a sustainable source. We are delighted to have been awarded the FSC® and PEFC® stamp of approval. These certifications promote environmentally appropriate, socially beneficial and economically viable management of the world's forests. At Atkinson & Kirby, we are proud to source a large selection of our timber from trees that are harvested as part of responsible and sustainable forest management, as well as promoting responsible and ethical practice. Please look for FSC® and PEFC® products within this brochure.*

We're proud to produce a large majority of our flooring accessories at our own mill in Chirk, North Wales. We're also extremely proud of our ISO 14001 Environmental Management Systems certification, which demonstrates that we operate a business taking into account minimising our environmental impacts.

Oak is our top choice for hardwood floors as it is one of the most sustainable timbers. With forest management programs regularly replanting oak trees, it has one of the smallest carbon footprints of all woods and releases fewer toxic emissions. Oak has the incredible ability to withstand the test of time. With a classic sophisticated look that remains strong and durable, using oak helps to increase the longevity of your flooring, making it even more sustainable.

We will always champion sustainable and environmentally viable hardwood flooring, making Atkinson & Kirby the top choice for the eco-conscious consumer.



*For full certification information, and products identified as FSC® and PEFC® throughout the brochure, please ask us for more information.





FEATURES THAT MAKE OUR FLOORS EXCEPTIONAL

Left: Light Timia Oak



ATKINSON & KIRBY WARRANTY

We offer various product warranties up to 30 years in duration, subject to terms and conditions.



FLOOR THICKNESS

A range of thickness options are offered, to enable tailored specification to different applications and traffic characteristics.



TONGUE & GROOVE

This simple but effective method of fitting is tried and tested over generations - Atkinson & Kirby ensure the tradition can continue with various products supplied in T&G format.



2G

The click system allows fast, easy and accurate installation, with joint integrity assured board after board.



5G

Quick and easy, 5G is a development of click systems, where boards are instantly interlocked securely, and perfectly aligned with each other across the entire installation.



CLICK FOLD DOWN

Many of our herringbone planks benefit from simple 'fold down' fitting. The edges of the planks are precision profiled to allow easy alignment and ensure secure joints for a better, closer fitting result.



SUITABLE FOR UNDERFLOOR HEATING

Our engineered hardwood floors have the stability to perform well over underfloor heating systems. Manufacturers agree that water-based heating is the best option, due to slower heating and cooling when compared to electrical systems.

COMPREHENSIVE CHOICE FOR INSPIRED INTERIORS




PARQUET
Page 22
Perfectly at home in both contemporary and traditional settings, with all the technical benefits of an engineered product.



CONTEMPORARY
Page 30
Taking the latest trends across an inspiring range of tones and textures on oak engineered plank flooring, these are modern options that will stand the test of time.



CLASSIC
Page 40
Classic comprises some of our most timeless engineered designs, and gives you the ideal balance of aesthetic flexibility, durable performance and value.



REFINED
Page 48
Factory applied lacquers and oils are UV treated to provide lasting, durable finishes to our solid plank flooring.



RAW
Page 52
Unfinished flooring supplied for finish on site to your own specification, giving you complete control over the final look.



LUXURY VINYL
Page 54
The very latest interior directions interpreted in a comprehensive range, with all the attributes of easy fit, easy-care performance characteristics.



ENGINEERED

SOLID

VINYL

Right: Rydal Oak





Left: Baltra Oak


TRENDS m²


STAY ONE STEP AHEAD

For a number of years we have worked closely with leading trend forecasting consultancies, their direction allied with our own research and customer feedback are instrumental in compiling our flooring collections. Trends are continually evolving over time, taking inspiration from a diverse range of influencing factors. How we react to this constant change is evident on our Pinterest page, where the latest design thinking is frequently updated. You can be confident there is a solid style understanding behind everything we do.



www.pinterest.co.uk/atkinsonandkirby





- Grounded
- Earthy
- Craftsmanship
- Slower Pace
- Refined Nature
- Tactile
- Simplicity
- Wabi-Sabi

TRENDS #1


Japandi

LOOKING FOR A SELF SUSTAINING, SIMPLER WAY OF LIFE

Characterised by simplicity, minimalism and functionality, 'Japandi' is the harmonious blend of Japanese and Scandinavian design. Studies have shown that over a third of consumers are now more environmentally conscious in their purchasing habits, with a notable shift in people's interior design choices, increasingly opting to focus on nature and the natural world.

'Japandi' helps to connect living spaces with nature by 'bringing the outside in' with an array of plants, greenery and sustainably sourced materials. The trend transforms the home into a tranquil space as it focuses on colours and textures that surround us in nature, such as linens, terracotta and greenery.

A rich smoked oak flooring, such as Ness Smoked Oak, is a great choice to complement this earthy palette. Or alternatively, to achieve the light and spacious minimalist look, choose a muted natural toned floor, such as Chiswick Oak.



Left: 01 05 06 Temple Oak / 02 08 Richmond Oak / 03 Ness Smoked Oak / 04 Brenin Oak / 07 Chiswick Oak / 09 Westray Oak



01



02



03



04



03



05



03



03



08



09



07



09

- Rustic
- Untouched
- Natural
- Characterful
- Rugged
- Textured
- Handcrafted
- Stonewashed

TRENDS #2

Rustic Vogue

COMBINING THE RUSTIC FARMHOUSE WITH MODERN COMFORTS

A sophisticated take on the hugely popular 'Cottagecore' aesthetic, 'Rustic Vogue' is the perfect blend of the traditional farmhouse with the modern comforts of city living. We are seeing a shift from city to rural, as the home becomes a calm and serene haven away from the hustle and bustle of city life.


'Rustic Vogue' can be characterised by raw woods, soft textiles and limewash colours, with hints of sleek design and modernist touches. This trend encourages natural elements and celebrates the beauty of imperfections, such as exposed wooden beams, tumbled linens and woven textures. Flooring with exposed knots, such as Wyvis Smoked Oak, will help to create the illusion of raw wood. Or alternatively, for a more rustic and weathered aesthetic, a whitewashed wood such as Mayar Oak should be selected.



Rich Wool



Exposed Wood Beams



Tumbled Linens



Woven Textures



Baby Breath Flowers



White Washed Wood

Left: 01 02 07 Wyvis Smoked Oak / 03 Light Icaria Oak / 04 Mayar Oak / 05 06 Eton Oak / 08 Epsom Oak / 09 Sandur Oak



01



02




03



04



05



07



06



09



08

- Energetic
- Playful
- Inspiring
- Zoning
- Contrast
- Colour Play
- Optimistic
- Abstract

TRENDS #3

Vivid Zonal

ORGANISING THE HOME FOR WORK, RELAXATION AND PLAY

It's time to brighten up the interior environment, using colour to create separate areas for work or play in the home. This post-modernist inspired trend is for those unafraid to experiment with unorthodox materials and features.

Adapting to open spaces and working from home, with the clever utilisation of colour blocking and floor zoning. The trend focuses on muted flooring and furniture combined with bold paint choices and colourful décor. Opt for a smooth floor with minimal knots and colour. Manoa Oak and Rasselas Oak are ideal flooring choices that can create a distinctive style which can help draw emphasis to the vivid colourways of this trend.




Light Tones



Terrazzo



Glossy Lacquer



Sporty Fabrics



Abstract Prints



Zoning

Left: 01 03 04 08 Light Timia Oak / 02 07 Rasselas Oak / 05 Manoa Oak / 06 Sonoran Oak / 09 Seba Oak


01




02



03



08



10



04



06



09

Futuristic Retro

Geometric

Luxury

Fashionable

Panelling

Nostalgic

Rich Colour

Pattern Play

TRENDS #4

Regal Revival

KICK BACK INTO A CASUAL SPACE OF LUXURY AND GLAMOUR

'Regal Revival' looks back to a time of nostalgic glamour, and reinventing it to fit with the opportunities of today. Taking inspiration from classic fashion brands and retro hotel styles, transforming the space into a place for self-expression through sophisticated style and taste. There is an emphasis on traditional charm, through wall panelling and parquet flooring, adding a touch of grandeur.


Embracing the iconic Arts & Crafts movement as people are becoming more appreciative of the value of handmade and decorative styles. The focus is on rich dark wood tones. Parquet flooring, such as Sloane Smoked Oak, will help you complete the 'Regal Revival' aesthetic, as the rich deep coffee tones add luxury and style. The parquet blocks can be laid in a range of patterns to suit your individual style, helping you to personally connect with the flooring in your space.



Deep Tones



Gold Finishes



Smooth Finishes



Panelling



Abstract Paintings



Parquet

Left: 01 02 10 Burghley Oak / 03 Aldwych Oak / 05 06 Harlesden Smoked Oak / 07 Rydal Oak / 08 Chatsworth Oak / 09 Epsom Oak

CHOOSING YOUR PERFECT FLOOR

When selecting the right floor for your project, there are several considerations to be made.

SUITABILITY

When making the choice between solid and engineered hardwood flooring you must consider the suitability. Engineered boards have grown in popularity over the years as an excellent alternative to solid wood, engineered boards boast superior stability, versatility and use a smaller amount of eco-precious hardwood. Unlike solid wood, engineered boards are composed of multiple layers of timber, as a result engineered wood is compatible with under-floor heating and can be used in kitchens and basements as it's more dependable. Solid boards are the traditional choice offering a thicker wear layer allowing the boards to be sanded and re-finished many times. Also consider the installation method, each floor has a recommended method. We don't recommend hardwood flooring for bathrooms or areas exposed to water, but we do have a selection of moisture resistant LVT floors that serve as the perfect solution.

GRADE

The grade of hardwood is set when the natural logs are selected, the timber is grouped according to the number and nature of features, like knots, splits, grain and colour variances. We offer five grades: Prime, Select, Natural, Rustic and Super Rustic. Prime has the cleanest most uniform appearance, down to Super Rustic given to our most characterful boards, with large knots and splits being a prominent feature of these floors.

FINISH

The choice of finish determines the overall aesthetic style of the floor. Our finish options include oiled and lacquered. Generally speaking oiled floors have a natural matt finish, while lacquered boards give your floor a subtle shine. You should also consider the surface of the floor, with smooth and brushed being our most common surface options, we also supply hand-scraped and saw cut floors for a highly on-trend 'craft' look. Unfinished boards are supplied for finishing in-situ. The edge style of boards has an impact on the overall look of a finished floor. A bevelled edge offers a distinctive depth, while a square edge provides a seamless surface.

SHADE


The colour and shade can help set the tone for the whole look and mood of your space. Rustic warm mid tones can create a vintage ambience, whereas Scandinavian influenced pale woods give a fresh, light, modern effect. Dark floors can work well in larger areas, and can be both historic or ultra-modern in appearance. Smaller rooms, or rooms lacking natural light tend to benefit from pale or bleached tones helping to create a feeling of open space. Of course personal preference is a major factor, and our comprehensive range of timbers means your perfect floor is right here waiting for you.

ENVIRONMENT

At Atkinson & Kirby, we are proud to hold an extensive list of environmental accreditations so you can be sure you're getting the most sustainable high-quality floor. It's always important to consider the environment when choosing your flooring. Engineered boards use less eco-precious timber making them the most environmentally friendly option. Oak has the incredible ability to withstand the test of time. Taking the time to care for your floor will increase its longevity, making it even more sustainable.

If you require any flooring advice, please get in touch with our expert team by visiting www.akirby.co.uk/contact-us or calling 01695 573234.

Right: Light Timia Oak





ENGINEERED BLOCKS

PARQUET COLLECTION

CLASSIC BLOCK PATTERNS FOR A TOUCH OF CLASS

Parquet engineered boards echo the timeless quality that can still be seen in floors that were laid long ago. Crucially, Atkinson & Kirby Parquet has the added modern advantage of stability and suitability for a range of substrates and underfloor heating. With a choice of sizes and an outstanding tonal choice, you're free to be absolutely on trend, perfectly traditional or anywhere in between.



Left: Eton Oak Above: Epsom Oak / Eton Oak / Harlesden Smoked Oak

11mm Herringbone Engineered Blocks

01
Hampstead Oak

Smooth & Natural Oil Protect Select Grade

| | |
|--------------|---------|
| Product code | PAR1005 |
| Thickness: | 11 mm |
| Width: | 70 mm |
| Length: | 500 mm |
| Wear Layer: | 3.6 mm |
| Profile: | T&G |

02
Kensington Oak

Smooth & Natural Oil Protect Select Grade

| | |
|--------------|---------|
| Product code | PAR1006 |
| Thickness: | 11 mm |
| Width: | 70 mm |
| Length: | 500 mm |
| Wear Layer: | 3.6 mm |
| Profile: | T&G |

03
Harlesden Smoked Oak

Smooth & Natural Oil Protect Select Grade

| | |
|--------------|---------|
| Product code | PAR1007 |
| Thickness: | 11 mm |
| Width: | 70 mm |
| Length: | 500 mm |
| Wear Layer: | 3.6 mm |
| Profile: | T&G |

04
Sloane Smoked Oak

Smooth & Natural Oil Protect Select Grade

| | |
|--------------|---------|
| Product code | PAR1008 |
| Thickness: | 11 mm |
| Width: | 70 mm |
| Length: | 500 mm |
| Wear Layer: | 3.6 mm |
| Profile: | T&G |


05
Eltham Walnut

Smooth & Natural Oil Protect Select Grade

| | |
|--------------|---------|
| Product code | PAR1009 |
| Thickness: | 11 mm |
| Width: | 70 mm |
| Length: | 500 mm |
| Wear Layer: | 3.6 mm |
| Profile: | T&G |



Harlesden Smoked Oak




01



02



03



04



05




14mm Herringbone Engineered Blocks



01



02



03

01
Siwa Oak

Brushed & Matt Lacquered Select Grade

| | |
|--------------|-----------------|
| Product code | PAR2001 |
| Thickness: | 14 mm |
| Width: | 130 mm |
| Length: | 725 mm |
| Wear Layer: | 2.5 mm |
| Profile: | Click Fold Down |



04



05

02
Brenin Oak

Brushed & Natural Oiled Rustic Grade

| | |
|--------------|-----------------|
| Product code | PAR2002 |
| Thickness: | 14 mm |
| Width: | 130 mm |
| Length: | 725 mm |
| Wear Layer: | 2.5 mm |
| Profile: | Click Fold Down |

03
Sonoran Oak

Brushed & Matt Lacquered Select Grade

| | |
|--------------|-----------------|
| Product code | PAR2003 |
| Thickness: | 14 mm |
| Width: | 130 mm |
| Length: | 725 mm |
| Wear Layer: | 2.5 mm |
| Profile: | Click Fold Down |

04
Grizedale Oak


Brushed & Natural Oiled Rustic Grade

| | |
|--------------|-----------------|
| Product code | PAR2004 |
| Thickness: | 14 mm |
| Width: | 130 mm |
| Length: | 725 mm |
| Wear Layer: | 2.5 mm |
| Profile: | Click Fold Down |

05
Dorchester Oak

Brushed & Matt Lacquered Rustic Grade

| | |
|--------------|-----------------|
| Product code | PAR2005 |
| Thickness: | 14 mm |
| Width: | 130 mm |
| Length: | 725 mm |
| Wear Layer: | 2.5 mm |
| Profile: | Click Fold Down |




Siwa Oak



20mm Herringbone Engineered Blocks



01



02



03



04

01
Eton Oak
 Brushed, Distressed Edge & Natural Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3001 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

02
Shrewsbury Oak
 Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3002 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

03
Rugby Oak
 Smooth & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3003 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

04
Winchester Oak
 Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3004 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |



Eton Oak



Epsom Oak

05
Harrow Oak
 Smooth & Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3005 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

08
Marlborough Oak
 Brushed, Distressed Edge & Natural Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3008 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

06
Chester Oak
 Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3006 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

09
Westminster Oak
 Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3009 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

07
Dulwich Limed Oak
 Smooth & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3007 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

10
Epsom Oak
 Brushed, Distressed Edge & Natural Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | PAR3010 |
| Thickness: | 20 mm |
| Width: | 100 mm |
| Length: | 500 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |



05




06



07



08




09




10

BE CREATIVE WITH PARQUET


The flexibility of parquet opens up a whole new vista of possibilities, creating opportunities for unique patterns of timbers and tones. Here are just a few suggestions to get you thinking.




Square Basket




Diagonal Basket




Diagonal Herringbone




Herringbone




Double Herringbone




Brick Half Bond




Decking




Offset



Diagonal Panel Ship Deck



Herringbone with Border Edge



Multi-coloured Example

*Some designs are only available with T&G. Please check individual products.

Right: Harlesden Smoked Oak






CONTEMPORARY COLLECTION

THE FUTURE OF ENGINEERED FLOORING

A collection developed as a result of continued analysis of worldwide trends, providing you with the choice to create exactly the right ambience to match your taste. Precision engineering that delivers on style, quality and performance, making the contemporary collection the future for engineered boards.



Left: Rasselas Oak Above: Rasselas Oak / Greenwich Smoked Oak / Light Timia Oak

14mm Engineered Planks

01

Manoa Oak

Brushed & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON2001 |
| Thickness: | 14 mm |
| Width: | 180 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |

02

Tanami Oak

Brushed & Natural Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON2002 |
| Thickness: | 14 mm |
| Width: | 180 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |

03

Rasselas Oak

Brushed & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON2003 |
| Thickness: | 14 mm |
| Width: | 180 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |

04

Mojave Oak

Brushed & Matt Lacquered Select Grade

| | |
|--------------|---------|
| Product code | CON2004 |
| Thickness: | 14 mm |
| Width: | 180 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |

05

Sahara Oak

Smooth & Matt Lacquered Select Grade

| | |
|--------------|---------|
| Product code | CON2005 |
| Thickness: | 14 mm |
| Width: | 180 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |

06

Holburn Oak

Brushed & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON2006 |
| Thickness: | 14 mm |
| Width: | 180 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |



Rasselas Oak



01



02



03



04



05



06



07



08



09

07

Chiswick Oak

Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON2007 |
| Thickness: | 14 mm |
| Width: | 180 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |

08

Finsbury Oak

Brushed & Matt Lacquered Super Rustic Grade

| | |
|--------------|---------|
| Product code | CON2009 |
| Thickness: | 14 mm |
| Width: | 180 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |

09

Adelphi Oak

Brushed & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON2010 |
| Thickness: | 14 mm |
| Width: | 180 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |



Manoa Oak

15mm Engineered Planks



01



02



03



04

01
Light Timia Oak
 Brushed & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON1001 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |

02
Richmond Oak
 Brushed & Matt Lacquered Select Grade


| | |
|--------------|---------|
| Product code | CON1002 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |

03
Greenwiche Smoked Oak
 Brushed & Saw Cut Matt Lacquered Natural Grade

| | |
|--------------|---------|
| Product code | CON1003 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |

04
Sheraton Smoked Oak
 Brushed & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON1004 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |



Temple Oak



Richmond Oak

05
Hackney Grey Oak
 Brushed & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON1005 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |

08
Kielder Oak
 Brushed & Hand Scraped Super Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON1016 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |

06
Macaria Oak
 Brushed & Matt Lacquered Select Grade

| | |
|--------------|---------|
| Product code | CON1014 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |

09
Temple Oak
 Brushed & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON1017 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |

07
Bussento Oak
 Brushed & Super Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON1015 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |

10
Vagar Oak
 Brushed & Saw Cut Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CON1018 |
| Thickness: | 15 mm |
| Width: | 185 mm |
| Length: | 2100 mm |
| Wear Layer: | 3 mm |
| Profile: | 2G |



05



06



07



08



09



10

18mm Engineered Planks

01

Baltra Oak

Hand Scraped, Undulating & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3001 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 4 mm |
| Profile: | T&G |



Rydal Oak

02

Seba Oak

Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3002 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | T&G |

03

Grasmere Oak

Hand Scraped, Undulating & Natural Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3003 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 4 mm |
| Profile: | T&G |

04

Husar Oak

Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3004 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | T&G |



01



02



03



04



05



06



07



08



09



10



Wyndham Oak

05

Wyndham Oak

Hand Scraped, Undulating & Natural Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3005 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 4 mm |
| Profile: | T&G |

06

Rydal Oak

Heavy Brushed, Undulating & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3006 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | T&G |

07

Pinzon Oak

Heavy Brushed, Undulating & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3007 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | T&G |

08

Aldwych Oak

Heavy Brushed, Undulating & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3008 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | T&G |

09

Sandur Oak

Heavy Brushed, Undulating & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3009 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | T&G |

10

Hackfall Oak

Heavy Brushed, Undulating & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CON3010 |
| Thickness: | 18 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | T&G |





INSPIRATION m²

Follow us on our social media channels for a world of inspiration and a stream of constantly evolving trends to be found at the click of a button.





ENGINEERED PLANKS

CLASSIC COLLECTION

ENDURING STYLE FOR A LOOK THAT LASTS

A collection of our most popular, timeless designs to give you the ideal balance of aesthetic flexibility, durable performance and value. With its characteristic emphasis on the lighter and honeyed tones of oak and walnut, the Classic collection gives you a warm palette to work from. Whatever ambience you aim to create, these precision engineered boards also deliver exceptional stability and performance.



Left: Westray Oak Above: Tolmont Limed Oak / Wyvis Smoked Oak / Westray Oak



01



02



03



04

01
Isla Oak
Smooth & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CLA1001 |
| Thickness: | 14 mm |
| Width: | 125 mm |
| Length: | Random |
| Wear Layer: | 3 mm |
| Profile: | 2G |

02
Iona Oak
Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA1002 |
| Thickness: | 14 mm |
| Width: | 125mm |
| Length: | Random |
| Wear Layer: | 3 mm |
| Profile: | 2G |

03
Lismore Oak
Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA1003 |
| Thickness: | 14 mm |
| Width: | 150 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | 5G |

04
Easdale Oak
Smooth & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA1004 |
| Thickness: | 14 mm |
| Width: | 150 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | 5G |



Iona Oak

05
Uist Oak
Smooth & Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CLA1005 |
| Thickness: | 14 mm |
| Width: | 150 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | 5G |

06
Harris Oak
Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA1006 |
| Thickness: | 14 mm |
| Width: | 150 mm |
| Length: | Random |
| Wear Layer: | 3 mm |
| Profile: | 2G |

07
Lewis Oak
Smooth & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CLA1007 |
| Thickness: | 14 mm |
| Width: | 150 mm |
| Length: | Random |
| Wear Layer: | 3 mm |
| Profile: | 2G |

08
Westray Oak
Brushed & UV Oiled Super Rustic Grade


| | |
|--------------|---------|
| Product code | CLA1008 |
| Thickness: | 14 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | 5G |

09
Arran Oak
Brushed & UV Oiled Super Rustic Grade

| | |
|--------------|---------|
| Product code | CLA1009 |
| Thickness: | 14 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 3 mm |
| Profile: | 5G |

10
Jura Oak (3 strip)
Smooth & Matt Lacquered Rustic Grade 

| | |
|--------------|---------|
| Product code | CLA1010 |
| Thickness: | 14 mm |
| Width: | 207 mm |
| Length: | 2200 mm |
| Wear Layer: | 2.5 mm |
| Profile: | 5G |



Westray Oak



05



06




07



08



09



10

01

Nevis Oak

Smooth & Lacquered
Natural Grade

| | |
|--------------|---------|
| Product code | CLA2001 |
| Thickness: | 18 mm |
| Width: | 125 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

02

Benmore Oak

Brushed & Lacquered
Natural Grade

| | |
|--------------|---------|
| Product code | CLA2002 |
| Thickness: | 18 mm |
| Width: | 125 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

03

Lomond Oak

Brushed & UV Oiled
Natural Grade

| | |
|--------------|---------|
| Product code | CLA2003 |
| Thickness: | 18 mm |
| Width: | 125 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

04

Saddle Oak

Smooth & Lacquered
Natural Grade

| | |
|--------------|---------|
| Product code | CLA2004 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |



Tolmont Limed Oak



01



02



03



04



05



06



07




08



09



10



11

05

Cairnwell Oak

Brushed & UV Oiled
Natural Grade

| | |
|--------------|---------|
| Product code | CLA2005 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

06

Tolmont Limed Oak

Brushed & UV Oiled
Rustic Grade

| | |
|--------------|---------|
| Product code | CLA2006 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

07

Mayar Limed Oak

Brushed & UV Oiled
Rustic Grade

| | |
|--------------|---------|
| Product code | CLA2007 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

08

Gulvain Smoked Oak

Brushed & UV Lacquered
Rustic Grade

| | |
|--------------|---------|
| Product code | CLA2008 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

09

Drumochter Walnut

Smooth & UV Oiled
Natural Grade

| | |
|--------------|---------|
| Product code | CLA2009 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

10

Wyvis Smoked Oak

Brushed & Hardwax Oiled
Rustic Grade

| | |
|--------------|---------|
| Product code | CLA2010 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

11

Haldon Maple

Smooth & Lacquered
Prime Grade

| | |
|--------------|---------|
| Product code | CLA3011 |
| Thickness: | 18.5 mm |
| Width: | 120 mm |
| Length: | Random |
| Wear Layer: | 4 mm |
| Profile: | T&G |

Not suitable with underfloor heating



01

Tummel Smoked Oak

Smooth & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA3001 |
| Thickness: | 20 mm |
| Width: | 160 mm |
| Length: | Random |
| Wear Layer: | 6 mm |
| Profile: | T&G |

02

Brora Limed Oak

Smooth & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA3002 |
| Thickness: | 20 mm |
| Width: | 160 mm |
| Length: | Random |
| Wear Layer: | 6 mm |
| Profile: | T&G |

03

Eden Oak

Smooth & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA3003 |
| Thickness: | 20 mm |
| Width: | 180 mm |
| Length: | Random |
| Wear Layer: | 6 mm |
| Profile: | T&G |

04

Carron Oak

Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA3004 |
| Thickness: | 20 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

05

Almond Oak

Smooth & Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | CLA3005 |
| Thickness: | 20 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

06

Moray Smoked Oak

Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA3006 |
| Thickness: | 20 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |



Ness Smoked Oak

07

Glenmore Oak

Smooth & UV Oiled Natural Grade

| | |
|--------------|---------|
| Product code | CLA3007 |
| Thickness: | 20 mm |
| Width: | 190 mm |
| Length: | 1900 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |

08

Ness Smoked Oak

Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA3008 |
| Thickness: | 20 mm |
| Width: | 190 mm |
| Length: | Random |
| Wear Layer: | 6 mm |
| Profile: | T&G |

09

Tweed Oak

Brushed & UV Oiled Super Rustic Grade

| | |
|--------------|---------|
| Product code | CLA3009 |
| Thickness: | 20 mm |
| Width: | 190 mm |
| Length: | Random |
| Wear Layer: | 6 mm |
| Profile: | T&G |

10

Esk Oak

Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | CLA3010 |
| Thickness: | 20 mm |
| Width: | 220 mm |
| Length: | 2200 mm |
| Wear Layer: | 6 mm |
| Profile: | T&G |




07




08



09




10



01



02



03




04



05



06



Almond Oak



SOLID PREFINISHED PLANKS

REFINED COLLECTION

THERE'S NO MISTAKING THE REAL DEAL

For some there's nothing quite so authentic as a solid natural block or plank floor. A statement of quality which goes back to Atkinson & Kirby's roots in 1903. Whilst the format is steeped in tradition, the character you can give a space with our prefinished solid planks is as varied as the tonal richness of the wood itself.



Left: Burghley Oak Above: Chatsworth Oak / Finger Jointed Oak / Burghley Oak

18mm Solid Prefinished Plank

01

Chatsworth Oak

Handscraped & Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | RFD1002 |
| Thickness: | 18 mm |
| Width: | 125 mm |
| Length: | Random |
| Profile: | T&G |

02

Hardwick Oak

Handscraped & Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | RFD1003 |
| Thickness: | 18 mm |
| Width: | 125 mm |
| Length: | Random |
| Profile: | T&G |

03

Burghley Oak

Handscraped & Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | RFD1004 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Profile: | T&G |



Chatsworth Oak



01



02



03



04



05



06



07



08



09



Hatfield Oak

04

Hatfield Oak

Handscraped & Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | RFD1005 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Profile: | T&G |

05

Dark Finger Jointed Oak

Handscraped & Lacquered Super Rustic Grade

| | |
|--------------|---------|
| Product code | RFD1006 |
| Thickness: | 18 mm |
| Width: | 203 mm |
| Length: | 2200 mm |
| Profile: | T&G |

06

American Walnut

Smooth UV Lacquered Natural Grade

| | |
|--------------|---------|
| Product code | RFD1017 |
| Thickness: | 18 mm |
| Width: | 90 mm |
| Length: | Random |
| Profile: | T&G |

07

Finger Jointed Oak

Handscraped & Lacquered Super Rustic Grade

| | |
|--------------|---------|
| Product code | RFD1008 |
| Thickness: | 18 mm |
| Width: | 203 mm |
| Length: | 2200 mm |
| Profile: | T&G |

08

Burton Oak

Brushed & UV Oiled Rustic Grade

| | |
|--------------|---------|
| Product code | RFD1011 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Profile: | T&G |

09

Witley Oak

Smooth & Matt Lacquered Rustic Grade

| | |
|--------------|---------|
| Product code | RFD1012 |
| Thickness: | 18 mm |
| Width: | 150 mm |
| Length: | Random |
| Profile: | T&G |





SOLID UNFINISHED STRIP

RAW COLLECTION

MAKE YOUR OWN STYLE STATEMENT

Carefully selected quality timbers are the canvas for your own flooring artwork. We understand that not everyone wants a ready finished floor, so here's our collection of solid unfinished strips, prepared for whatever fits your own aspirations. Bespoke designer flooring is now entirely achievable.

01

Maple Prime 57W

Unfinished
Prime Grade

| | |
|--------------|---------|
| Product code | RAW1001 |
| Thickness: | 20 mm |
| Width: | 57 mm |
| Length: | Random |
| Profile: | T&G |



01

02

Maple Prime 83W

Unfinished
Prime Grade

| | |
|--------------|---------|
| Product code | RAW1002 |
| Thickness: | 20 mm |
| Width: | 83 mm |
| Length: | Random |
| Profile: | T&G |



02



Left: Bespoke solid unfinished strip



LUXURY VINYL COLLECTION

THE EASY OPTION IN PLANKS AND TILES

The technology of vinyl boards means any look is possible. Our LVT collection range gives you the most up to date selection of decors to create stunning interiors from the ground up. The registered embossed finish adds a textural dimension to give even more character, coupled with the purely practical benefits of easy-fit, exceptional stability thanks to the 5G click locking system, easy maintenance and moisture resistant performance.



Left: Light Icaria Oak Above: Kufra Oak / Grey Lambeth Oak / Light Icaria Oak

4.2mm Luxury Vinyl Planks

01
White Medina Oak

Embossed In Register

| | |
|--------------|---------|
| Product code | LVT1001 |
| Thickness: | 4.2 mm |
| Width: | 178 mm |
| Length: | 1219 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

02
Light Icaria Oak

Embossed In Register

| | |
|--------------|---------|
| Product code | LVT1002 |
| Thickness: | 4.2 mm |
| Width: | 178 mm |
| Length: | 1219 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

03
Sinapia Oak

Embossed In Register

| | |
|--------------|---------|
| Product code | LVT1003 |
| Thickness: | 4.2 mm |
| Width: | 178 mm |
| Length: | 1219 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

04
Oceana Oak

Embossed In Register

| | |
|--------------|---------|
| Product code | LVT1004 |
| Thickness: | 4.2 mm |
| Width: | 178 mm |
| Length: | 1219 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

05
Liwa Oak

Embossed In Register

| | |
|--------------|---------|
| Product code | LVT1005 |
| Thickness: | 4.2 mm |
| Width: | 178 mm |
| Length: | 1219 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

06
Ubari Oak

Embossed In Register

| | |
|--------------|---------|
| Product code | LVT1006 |
| Thickness: | 4.2 mm |
| Width: | 178 mm |
| Length: | 1219 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

07
Kufra Oak

Embossed In Register

| | |
|--------------|---------|
| Product code | LVT1007 |
| Thickness: | 4.2 mm |
| Width: | 178 mm |
| Length: | 1219 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

08
Dark Battersea Oak

Embossed In Register

| | |
|--------------|---------|
| Product code | LVT1008 |
| Thickness: | 4.2 mm |
| Width: | 178 mm |
| Length: | 1219 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

09
Grey Lambeth Oak

Embossed In Register

| | |
|--------------|---------|
| Product code | LVT1009 |
| Thickness: | 4.2 mm |
| Width: | 178 mm |
| Length: | 1219 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |



Kufra Oak



Limehouse Concrete



01



02



03



04



05



06



07



08



09



10



11



12

4.2mm Luxury Vinyl Tiles

10
Tabas Travertine

Textured

| | |
|--------------|---------|
| Product code | LVT2001 |
| Thickness: | 4.2 mm |
| Width: | 300 mm |
| Length: | 600 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

11
Limehouse Concrete

Textured

| | |
|--------------|---------|
| Product code | LVT2002 |
| Thickness: | 4.2 mm |
| Width: | 300 mm |
| Length: | 600 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |

12
Dark Clerkenwell Concrete

Textured

| | |
|--------------|---------|
| Product code | LVT2003 |
| Thickness: | 4.2 mm |
| Width: | 300 mm |
| Length: | 600 mm |
| Wear Layer: | 0.55 mm |
| Profile: | 5G |



BESPOKE

THERE'S NO MISTAKING THE REAL DEAL

We offer a bespoke flooring service for large scale projects and developments, our in-house Specification Team work directly with architects, designers and contractors. We are able to source and supply bespoke hardwood flooring tailored to you or your clients individual requirements and specification. We work with the highest quality flooring suppliers across the world and these strong connections mean we are able to provide you with this unique service.

You can choose to customise one of our existing floors, or create a new floor all together. You can choose the design, style, colour, texture, finish, and much more.

1

GET IN TOUCH

Our in-house Specification Team are able to help your vision become a reality. Get in touch with us with your specification, requirements or ideas and our expert team will be able to work with you to help build up a picture of exactly what you need for your project.

2

ARCHITECTS BOARD

We contact our suppliers to generate a quote and lead time. Once you are happy with these, we work with our suppliers to create an architects board exactly to your requirements. We then present the bespoke board to you, you can either approve the board or choose to make some changes.

3


FULL PRODUCTION

Once you have approved the architects board, we proceed into full production to craft your bespoke flooring and deliver your flooring to site. From here we can advise on installation so your project runs smoothly, as well as best maintenance practices so your floor stands the test of time in style and durability, exactly what you need for your project.

Coordinating all of the different elements of a project can be overwhelming, which is why we work as a project partner, with our in-house Specification Team on hand to advise you at every step, from idea to installation. With so many years under our belt we have a wealth of knowledge and expertise at our fingertips and have bespoke supplied floors for a variety of projects including residential, hospitality and retail.

If you would like to enquire about this service, get in touch with us on 01695 573234 or visit www.akirby.co.uk/contact-us

Right:
Atkinson & Kirby
bespoke flooring at
Eden Locke aparthotel
Edinburgh, Scotland



**INSPIRATIONAL
FLOORS TO
ENHANCE EVERY
PROJECT**





PROJECT

#01


BERMONDS LOCKE. Eco-rustic in the heart of London

A warm oak welcome awaits in this haven of calm. Ness Smoked Oak from Atkinson & Kirby's Classic collection made the perfect choice of flooring for all 143 apartments, as the natural tones of the oak seamlessly blend with the varying desert colouring across all floors. The characterful floor offers a forgiving style that will age beautifully over time and create a charming rustic aesthetic as the years pass by.



Within minutes walking distance from Bermondsey Street, Tower Bridge and the Shard, the Bermonds Locke aparthotel complex is an urban eco-oasis for professionals and travellers to unwind from the hustle and bustle of city life.

Location: London, England
Application: Aparthotel
Floor: Ness Smoked Oak
Collection: Classic
Brief: Practical and natural toned floor that blends seamlessly with the décor




PROJECT

#02

95 PECKHAM ROAD. Creating a feeling of space through minimalist design

Located in the bustling London borough of Southwark, the award-winning 95 Peckham Road is a striking new residential building comprising of 33 luxury flats. The development takes the form of a mansion block style apartment building with a communal tree-lined courtyard for residents.

Toby Thorpe, Operations Director for developers, Kuropatwa said: "For the interiors we wanted a flooring that would match the stunning external aesthetic." To achieve this goal, Rasselas Oak flooring from our contemporary collection was used throughout the property. The light-toned wood gives the illusion of space, while the rustic grade reflects the charming character of the building.



The intricate and locally sympathetic design of 95 Peckham Road has not gone unnoticed by architectural circles. The property won the Housing prize at the New London Awards 2020 and is currently shortlisted for the 2021 RIBA London Awards.

Location: London, England
Application: Residential development
Floor: Rasselas Oak
Collection: Contemporary
Brief: Flooring that encapsulates the breath-taking postmodernist exterior
Contractor: Kuropatwa



PROJECT

#03


ABODE HOTEL MANCHESTER. Working hard in a converted factory

Engineered parquet adds a touch of elegance to the high traffic reception zone at the hotel entrance. The Abode Manchester is a luxury hotel situated in the thriving Manchester city centre, and was formerly a 19th century textile factory. Shone Building Ltd, the project contractor, selected Marlborough Oak parquet to enhance the sense of luxury and reflect the Abode Hotel's distinctive style, which focuses on both quality and comfort. With the high level of footfall the Abode Hotel receives on a daily basis, a durable, long-lasting and eye-catching floor was an essential upgrade.



Nikki, Sales Manager for the Abode Hotel Manchester said: "We are thrilled with the completed look and feel of our reception and restaurant areas. The Atkinson & Kirby flooring supplied for the reception space has been a great addition and helped to add to the sense of luxury and quality that we are focused on achieving."

Location: Manchester, England
Application: Hotel bar refurbishment
Floor: Marlborough Oak
Collection: Parquet
Brief: Durable and long lasting floor that enhances the character and style of the luxury hotel
Contractor: Shone Building Ltd




PROJECT

#04


WHITWORTH LOCKE. Industrial chic on the factory floor

Whitworth Locke, a cotton mill conversion aparthotel and co-working space, was intricately designed to reflect the city's history. To complement the grounded and earthy colour palette, Atkinson & Kirby's rustic grade Ness Smoked Oak flooring was selected by the design team to run throughout all 160 apartments. With its filled knots and splits, the durable hardwood flooring provides a beautifully aged look which perfectly complements the earthy tones of the décor.



As a nod to the building's historic past, the aged oak flooring was laid in a laddered pattern, offering a traditional parquet finish.

Location: Manchester, England
Application: Aparthotel and co-working space
Floor: Ness Smoked Oak
Collection: Classic
Brief: A modern and high-performing floor that sympathises with the heritage of the original site



PROJECT

#05

PERTH THEATRE. A class act in style and function


Perth Theatre is one of Scotland's oldest theatres, and has received a considerable £15.5M refurbishment. The transformation of the B-listed property is extraordinary, including a three-storey extension, whilst still exposing the Edwardian building's original auditorium wall, which has been retained as a feature of the redeveloped space. The rejuvenated venue boasts a new foyer space, restaurant, bars, a new 200 seat studio theatre, and a community room.

Atkinson & Kirby and McGarry Flooring worked together to produce a similar specification to the original hardwood flooring at site. The material needed to perform well over time with heavy footfall in a commercial setting, whilst also sympathising with the appearance of the original flooring used. The building itself has transitioned from Classic Edwardian to contemporary, therefore the flooring had to add a fresh modern look, whilst also being cautious to ensure the theatre's Edwardian auditorium maintained its original traditional style and ambience.



A high quality prime grade of lacquered oak plank was selected for appearance and durability, giving a clean, airy, light and spacious feel to each large space it was laid in. The prime grade gives high consistency in colour and limits the difference of the natural tones, knots and grains of the oak.

Location: Perth, Scotland
Application: Modernisation of the historic theatre
Collection: Bespoke
Brief: Update and modernise the venue while creating a product that is as close as possible to the specification of the original hardwood floors onsite
Contractor: McGarry Flooring





PROJECT

#06


LIBERTON BARNES. Creating a feeling of space through minimalist design

Liberton Barns is an innovative and prestigious townhouse development in Edinburgh overlooking the Royal Observatory and Liberton Tower. Award winning Glencairn Properties specialise in contemporary, luxury homes, and specified Atkinson & Kirby Manoa Oak for the entrance hallways, living and dining areas. The spacious, innovative design uses natural light and areas of real wood flooring, natural stone and large glazed areas to give the properties a luxurious modern feel whilst sympathising with the heritage of the original site.



Manoa Oak was selected to complement the interior scandinavian look and feel of the main living areas. The properties are a contemporary interpretation of an existing agricultural barn within a collection of converted steading buildings next to a B-listed 19th century farmhouse.


Location: Edinburgh, Scotland
Application: Innovative townhouse development
Floor: Manoa Oak
Collection: Contemporary
Brief: A minimalist pale floor that matches the Scandinavian style aesthetic of the luxury development
Contractor: Glencairn Properties



PROJECT
#07

CONTEMPORARY OFFICE. Form meets function in the work space

Atkinson & Kirby's Marylebone Smoked Oak was used in this recently refurbished central London office to add warmth and colour to this sleek, modern design. The use of steel and glass add light to the space and give a very contemporary feel, while the use of pops of colour in the furniture and smoked oak in the floor add interest and soften the overall look.



The precision engineered floor was an ideal choice for this project as the fitting system allows the floor to be installed quickly and efficiently, while the smoked finish of the floor provides tonal variation, tying in well with the colour scheme.

Location: London, England
Application: Sleek and modern office refurbishment
Floor: Marylebone Smoked Oak
Collection: Bespoke
Brief: An eye-catching floor to tie in with the sleek lines and open plan concept of the central London office.



INSTALLATION AND MAINTENANCE

Precise planning, perfect detailing and high quality flooring accessories defines the calibre of a flooring project. Equally, those unseen components such as underlay, fixings and adhesives are none-the-less essential to the integrity of your work. Ensure your flooring is installed and finished to the highest of standards by considering our best practices.

PRE-INSTALLATION

Planning is the key to a successful flooring installation. Make sure to take each of these points into account before installation to ensure that your floor remains in pristine condition.

Acclimatisation and Storage

Wood flooring needs to acclimatise to ensure installation runs smoothly and to prevent problems in the future. We recommend that you store the products in a room with the same or similar humidity to the room they will be installed in for 48 - 72 hours prior to installation. Some floors may require up to 5 days. The packs should be stacked flat on the ground, they should not be stored upright, such as leaning against a wall.

Flooring must be stored indoors in a wind and watertight area with the heating on, they should be stacked in the original packaging. Temperature should be maintained at around 18°C to 20°C, with the humidity range at 45-60% RH.

Moisture Checks

Upon delivery, check the wood flooring moisture content with a moisture meter to establish a baseline for required acclimatisation. The conditions of the area you will be storing the flooring packs, should also be checked for excessive moisture prior to installation. Make sure to complete moisture checks prior to installation.

Subfloor

The subfloor must be dry, flat, level, sound and free from dust and debris. If this is not the case the subfloor should be prepared so that it meets this criteria. Poor preparation could affect the performance of your new floor.

Underfloor Heating

Atkinson & Kirby only recommends hardwood flooring be installed over water based underfloor heating systems. The maximum temperature of the subfloor at the point of contact should be 27°C. To ensure this maximum temperature is adhered to, we recommend the use of an underfloor heating system that is controlled by floor sensors allowing for a gradual increase in temperature. Underfloor heating must be properly commissioned with correct heat up and heat down carried out. Solid wood flooring is not suitable for underfloor heating.

Underlay

Underlay is laid beneath flooring, choosing a high quality underlay will extend the life of your new flooring. Underlay improves insulation and offers sound proofing qualities, ensuring cushioning and comfort underfoot.

INSTALLATION

The choice of installation method depends on the specific site conditions, the flooring you have selected, and the type of existing or proposed subfloor. Your installer can advise which is best for your specific requirements.

Stuck Down

Both solid and engineered floors can be glued down provided that the sub floor is dry, flat, level, sound and even. Stuck down is the best method for heat transference, so ideal in conjunction with water based underfloor heating systems.

Floated

Only engineered tongue and groove and 'click' flooring can be floated, meaning that it need not be nailed or glued down. Floating is the most efficient way of installation. The subfloor again should be dry flat, level, sound and even.

Secret Nailed

Both tongue and groove engineered and solid flooring can be secret nailed. Secret nailing is ideal for wood based subfloors.

Expansion Gap

Dependent on the design of the floor a waste factor of 5-10% should be taken into account. As a general rule we recommend at least 10-15mm expansion gap around the perimeter of the room, at doorways, around pipes and any fixed objects. These expansion gaps can be covered by using a skirting board, and other mouldings.

Installations on Stairs

Flooring on stairs must be fully nailed to the stair treads. Stair nosings should be fixed using screws or nails also. The choice of installation method depends on the specific variables and the requirements of the site and the type of floor to be installed. Your installer should assess the criteria and advise.

FLOORING ACCESSORIES

To ensure your finished floor demonstrates quality in every detail, we offer a full range of adhesives, underlays and flooring accessories, such as edge trims, door profiles and pipe covers. You can see the full range at www.akirby.co.uk.

MAINTENANCE

Hardwood flooring can last a lifetime with proper care and maintenance, if you take care of your floor you may never need to replace it. There are a few general good practices to follow when caring for your hardwood and LVT floor.

Do

- Sweep the floor daily with a soft brush.
- Wipe up any spilt liquids immediately, as wood will absorb liquids and expand.
- Clean the floor regularly.
- Use protective pads under all furniture legs.
- Use barrier mats at all external doors.
- Protect your floor from grit.
- Keep the ambient temperature to 18-20°C.

Don't

- Allow liquid to stand on the floor, this can cause the wood to expand.
- Use a wet mop or steam mop to clean the floor. Always use a damp mop.
- Use abrasive cleaners, these will damage the finish.
- Increase the temperature above 27°C on underfloor heating.
- Allow sharp or abrasive objects to come into contact with the floor.
- Drag furniture across the floor.

Routine Maintenance

Dirt and grit can cause damage to all wooden floors. Make sure that a sturdy doormat is in place both inside and outside all exterior access doorways. Always protect the floor by using felt pads on furniture legs. Avoid sharp objects, such as pet claws and stiletto heels, which can cause damage to your floor. We recommend the products by WOCA for periodic cleaning of hardwood floors. Please refer to the manufacturer's instructions when using any cleaning products.











As with all hardwood floors maintenance is the key to lifelong service and beauty. By following these simple maintenance guidelines you will maintain the natural beauty of the floor and it will remain attractive and give many years of use.

For more in-depth installation and maintenance advice specific to your floor, visit: www.akirby.co.uk/resources/downloads to download our full guides, or you can get in touch with our expert team on 01695 573234.













FITTING SPECIFICATION


TECHNICAL INFORMATION

| | All dimensions in mm. | Code | Name | Pack Size (m ²) | Underfloor Heating | Fitting Requirements | | | Warranty Domestic (years) | Page |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|-----------------------------|--------------------|----------------------|---------------|------------|---------------------------|------|
| | | | | | | Floated | Secret Nailed | Stuck Down | | |
| PARQUET : ENGINEERED BLOCKS | | | | | | | | | | |
| 11 mm Herringbone |  | PAR1005 | 900300 | Hampstead Oak | 1.68 | ● | | ● | 30 | 24 |
| |  | PAR1006 | 900301 | Kensington Oak | 1.68 | ● | | ● | 30 | 24 |
| |  | PAR1007 | 900302 | Harlesden Smoked Oak | 1.68 | ● | | ● | 30 | 24 |
| |  | PAR1008 | 900303 | Sloane Smoked Oak | 1.68 | ● | | ● | 30 | 24 |
| |  | PAR1009 | | Eitham Walnut | 1.68 | ● | | ● | 30 | 24 |
| 14 mm Herringbone |  | PAR2001 | | Siwa Oak | 0.65 | ● | | ● | 20 | 25 |
| |  | PAR2002 | | Brenin Oak | 0.65 | ● | | ● | 20 | 25 |
| |  | PAR2003 | | Sonoran Oak | 0.65 | ● | | ● | 20 | 25 |
| |  | PAR2004 | | Grizedale Oak | 0.65 | ● | | ● | 20 | 25 |
| |  | PAR2005 | | Dorchester Oak | 0.65 | ● | | ● | 20 | 25 |
| 20 mm Herringbone |  | PAR3001 | 700757 | Eton Oak | 0.5 | ● | | ● | 1 | 26 |
| |  | PAR3002 | 700753 | Shrewsbury Oak | 0.5 | ● | | ● | 1 | 26 |
| |  | PAR3003 | 700756 | Rugby Oak | 0.5 | ● | | ● | 1 | 26 |
| |  | PAR3004 | 700752 | Winchester Oak | 0.5 | ● | | ● | 1 | 26 |
| |  | PAR3005 | 700751 | Harrow Oak | 0.5 | ● | | ● | 1 | 27 |
| |  | PAR3006 | 700755 | Chester Oak | 0.5 | ● | | ● | 1 | 27 |
| |  | PAR3007 | 700760 | Dulwich Limed Oak | 0.5 | ● | | ● | 1 | 27 |
| |  | PAR3008 | 700759 | Marlborough Oak | 0.5 | ● | | ● | 1 | 27 |
| |  | PAR3009 | 700754 | Westminster Oak | 0.5 | ● | | ● | 1 | 27 |
| |  | PAR3010 | 700758 | Epsom Oak | 0.5 | ● | | ● | 1 | 27 |
| CONTEMPORARY : ENGINEERED PLANKS | | | | | | | | | | |
| 14 mm Plank |  | CON2001 | 527046 | Manoa Oak | 2.77 | ● | ● | ● | 25 | 32 |
| |  | CON2002 | 527047 | Tanami Oak | 2.77 | ● | ● | ● | 25 | 32 |
| |  | CON2003 | 527048 | Rasselas Oak | 2.77 | ● | ● | ● | 20 | 32 |
| |  | CON2004 | 527065 | Mojave Limed Oak | 2.77 | ● | ● | ● | 25 | 32 |
| |  | CON2005 | 527061 | Sahara Oak | 2.77 | ● | ● | ● | 20 | 32 |
| |  | CON2006 | 527076 | Holborn Oak | 2.77 | ● | ● | ● | 20 | 32 |
| |  | CON2007 | 527062 | Chiswick Oak | 2.77 | ● | ● | ● | 20 | 33 |
| |  | CON2009 | 527067 | Finsbury Oak | 2.77 | ● | ● | ● | 20 | 33 |
| |  | CON2010 | 527063 | Adelphi Oak | 2.77 | ● | ● | ● | 25 | 33 |
| | 15 mm Plank |  | CON1001 | | Light Timia Oak | 2.33 | ● | ● | ● | 30 |
|  | | CON1002 | | Richmond Oak | 2.33 | ● | ● | ● | 30 | 34 |
|  | | CON1003 | | Greenwich Smoked Oak | 2.33 | ● | ● | ● | 30 | 34 |
|  | | CON1004 | | Sheraton Smoked Oak | 2.33 | ● | ● | ● | 30 | 34 |
|  | | CON1005 | | Hackney Grey Oak | 2.33 | ● | ● | ● | 30 | 35 |
|  | | CON1014 | 900109 | Macaria Oak | 2.33 | ● | ● | ● | 30 | 35 |
|  | | CON1015 | | Bussento Oak | 2.33 | ● | ● | ● | 30 | 35 |
|  | | CON1016 | | Kielder Oak | 2.33 | ● | ● | ● | 30 | 35 |
|  | | CON1017 | 900111 | Temple Oak | 2.33 | ● | ● | ● | 30 | 35 |
|  | | CON1018 | | Vagar Oak | 2.33 | ● | ● | ● | 30 | 35 |

TECHNICAL INFORMATION

| | All dimensions in mm. | Code | Name | Pack Size (m ²) | Underfloor Heating | Fitting Requirements | | | Warranty Domestic (years) | Page |
|-----------------------------------------|---------------------------------------------------------------------------------------|---------|---------|-----------------------------|--------------------|----------------------|---------------|------------|---------------------------|------|
| | | | | | | Floated | Secret Nailed | Stuck Down | | |
| CONTEMPORARY : ENGINEERED PLANKS | | | | | | | | | | |
| 18 mm Plank |  | CON3001 | | Baltra Oak | 2.17 | ● | ● | ● | 25 | 36 |
| |  | CON3002 | | Seba Oak | 2.17 | ● | ● | ● | 25 | 36 |
| |  | CON3003 | | Grasmere Oak | 2.17 | ● | ● | ● | 25 | 36 |
| |  | CON3004 | | Husar Oak | 2.17 | ● | ● | ● | 25 | 36 |
| |  | CON3005 | | Wyndham Oak | 2.17 | ● | ● | ● | 25 | 37 |
| |  | CON3006 | | Rydal Oak | 2.17 | ● | ● | ● | 25 | 37 |
| |  | CON3007 | | Pinzon Oak | 2.17 | ● | ● | ● | 25 | 37 |
| |  | CON3008 | | Aldwych Oak | 2.17 | ● | ● | ● | 25 | 37 |
| |  | CON3009 | | Sandur Oak | 2.17 | ● | ● | ● | 25 | 37 |
| |  | CON3010 | | Hackfall Oak | 2.17 | ● | ● | ● | 25 | 37 |
| CLASSIC : ENGINEERED PLANKS | | | | | | | | | | |
| 14 mm Plank |  | CLA1001 | 700157 | Isla Oak | 2.2 | ● | ● | ● | 1 | 42 |
| |  | CLA1002 | 700158 | Iona Oak | 2.2 | ● | ● | ● | 1 | 42 |
| |  | CLA1003 | 524004A | Lismore Oak | 2.28 | ● | ● | ● | 1 | 42 |
| |  | CLA1004 | 524006A | Easdale Oak | 2.28 | ● | ● | ● | 1 | 42 |
| |  | CLA1005 | 524008A | Uist Oak | 2.28 | ● | ● | ● | 1 | 43 |
| |  | CLA1006 | 700159 | Harris Oak | 2.64 | ● | ● | ● | 1 | 43 |
| |  | CLA1007 | 700160 | Lewis Oak | 2.64 | ● | ● | ● | 1 | 43 |
| |  | CLA1008 | 900106 | Westray Oak | 2.89 | ● | ● | ● | 1 | 43 |
| |  | CLA1009 | 900107 | Arran Oak | 2.89 | ● | ● | ● | 1 | 43 |
| |  | CLA1010 | 526013 | Jura Oak (3 strip) | 3.18 | ● | ● | ● | 5 | 43 |
| 18 mm Plank |  | CLA2001 | 526024 | Nevis Oak | 2.2 | ● | ● | ● | 1 | 44 |
| |  | CLA2002 | 526028 | Benmore Oak | 2.2 | ● | ● | ● | 1 | 44 |
| |  | CLA2003 | 526029 | Lomond Oak | 2.2 | ● | ● | ● | 1 | 44 |
| |  | CLA2004 | 700102 | Saddle Oak | 1.98 | ● | ● | ● | 1 | 44 |
| |  | CLA2005 | 700103 | Cairnwell Oak | 1.98 | ● | ● | ● | 1 | 45 |
| |  | CLA2006 | 900100 | Tolmont Limed Oak | 1.98 | ● | ● | ● | 1 | 45 |
| |  | CLA2007 | 900101 | Mayar Limed Oak | 1.98 | ● | ● | ● | 1 | 45 |
| |  | CLA2008 | 900102 | Gulvain Smoked Oak | 1.98 | ● | ● | ● | 1 | 45 |
| |  | CLA2009 | 900103 | Drumochter Walnut | 1.98 | ● | ● | ● | 1 | 45 |
| |  | CLA2010 | 900104 | Wyvis Smoked Oak | 1.98 | ● | ● | ● | 1 | 45 |
| 18.5 mm |  | CLA3011 | | Haldon Maple | 1.44 | ● | ● | ● | 25 | 45 |
| 20 mm Plank |  | CLA3001 | 700728 | Tummel Smoked Oak | 1.41 | ● | ● | ● | 1 | 46 |
| |  | CLA3002 | 700729 | Brora Limed Oak | 1.41 | ● | ● | ● | 1 | 46 |
| |  | CLA3003 | 700732 | Eden Oak | 1.58 | ● | ● | ● | 1 | 46 |
| |  | CLA3004 | 700349 | Carron Oak | 1.81 | ● | ● | ● | 1 | 46 |
| |  | CLA3005 | 700350 | Almond Oak | 1.81 | ● | ● | ● | 1 | 46 |
| |  | CLA3006 | 900105 | Moray Smoked Oak | 1.81 | ● | ● | ● | 1 | 46 |
| |  | CLA3007 | 501919A | Glenmore Oak | 2.17 | ● | ● | ● | 1 | 47 |
| |  | CLA3008 | 600100 | Ness Smoked Oak | 2.09 | ● | ● | ● | 1 | 47 |
| |  | CLA3009 | 700351 | Tweed Oak | 2.09 | ● | ● | ● | 1 | 47 |
| |  | CLA3010 | 501925 | Esk Oak | 1.94 | ● | ● | ● | 1 | 47 |

FITTING SPECIFICATION

| | All dimensions in mm. | Code | Name | Pack Size (m ²) | Underfloor Heating | Fitting Requirements | | | Warranty Domestic (years) | Page |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|-----------------------------|--------------------|----------------------|---------------|------------|---------------------------|----------|
| | | | | | | Floated | Secret Nailed | Stuck Down | | |
| SOLID WOOD | | | | | | | | | | |
| 18mm Refined Strip |  | RFD1002 | 501912 | Chatsworth Oak | 2.2 | | ● | ● | 1 | 50 |
| |  | RFD1003 | 501913 | Hardwick Oak | 2.2 | | ● | ● | 1 | 50 |
| |  | RFD1004 | 700420 | Burghley Oak | 1.98 | | ● | ● | 1 | 50 |
| |  | RFD1005 | 700421 | Hatfield Oak | 1.98 | | ● | ● | 1 | 51 |
| |  | RFD1006 | 900201 | Dark Finger Jointed Oak | 1.786 | | ● | ● | 1 | 51 |
| |  | RFD1017 | | American Walnut | 1.98 | | ● | ● | 1 | 51 |
| |  | RFD1008 | 900202 | Finger Jointed Oak | 1.786 | | ● | ● | 1 | 51 |
| |  | RFD1011 | 900501 | Burton Oak | 1.98 | | ● | ● | 1 | 51 |
| |  | RFD1012 | 900502 | Witley Oak | 1.98 | | ● | ● | 1 | 51 |
| | 20mm Raw Strip |  | RAW1001 | 504500 | Maple Prime 83W RL | 1.86 | | ● | ● | 30 |
|  | | RAW1002 | 504502 | Maple Prime 57W RL | 1.86 | | ● | ● | 30 | 53 |
| LUXURY VINYL | | | | | | | | | | |
| 4.2 mm Plank |  | LVT1001 | 900405 | White Medina Oak | 2.168 | ● | ● | | Lifetime | 56 |
| |  | LVT1002 | 900407 | Light Icaria Oak | 2.168 | ● | ● | | Lifetime | 56 |
| |  | LVT1003 | 900406 | Sinapia Oak | 2.168 | ● | ● | | Lifetime | 56 |
| |  | LVT1004 | 900408 | Oceana Oak | 2.168 | ● | ● | | Lifetime | 56 |
| |  | LVT1005 | 900400 | Liwa Oak | 2.168 | ● | ● | | Lifetime | 56 |
| |  | LVT1006 | 900402 | Ubari Oak | 2.168 | ● | ● | | Lifetime | 56 |
| |  | LVT1007 | 900401 | Kufra Oak | 2.168 | ● | ● | | Lifetime | 56 |
| |  | LVT1008 | 900404 | Dark Battersea Oak | 2.168 | ● | ● | | Lifetime | 56 |
| |  | LVT1009 | 900403 | Grey Lambeth Oak | 2.168 | ● | ● | | Lifetime | 56 |
| | 4.2 mm Tile |  | LVT2001 | 900409 | Tabas Travertine | 2.16 | ● | ● | | Lifetime |
|  | | LVT2002 | 900410 | Limehouse Concrete | 2.16 | ● | ● | | Lifetime | 57 |
|  | | LVT2003 | 900411 | Dark Clerkenwell Concrete | 2.16 | ● | ● | | Lifetime | 57 |

FINISHING PRODUCTS

| ADHESIVE AND FIXING NAILS | | |
|---------------------------|-----------------------------------|------------|
| Product Code | Description | Pack Size |
| ACC2001 | Proflex Ultra MS Polymer Adhesive | 16kg Tub |
| ACC2003 | Proflex Gun Grade Adhesive | 600ml Foil |
| 530636 | Laybond Wood Adhesive | 15kg Tub |
| 700648 | Primatch T Nails 38mm 16 Gauge | 1000pcs |
| 700651 | Primatch T Nails 50mm 16 Gauge | 1000pcs |

| UNDERLAY | | | | | |
|--------------|------------------------------------|----|----------------------|-----------------------------|--------------------|
| Product Code | Description | DB | Size | Pack Size (m ²) | Underfloor Heating |
| 530513 | Quicktherm Underlay | 19 | 1.8mm x 1000mm x 10m | 10 | Yes |
| 530511 | Woodtex Wood and Laminate Underlay | 20 | 3mm x 685mm x 14.6m | 10 | Yes |
| 540584 | Sound Click LVT Underlay | 18 | 1.5mm x 1000mm x 15m | 15 | No |
| 540586 | Polyfoam Vapour Control | 18 | 3mm x 1000mm x 15m | 15 | No |
| 540587 | Polyfoam Acoustic Gold | 22 | 5mm x 1000mm x 15m | 15 | No |
| 540580 | Polyfoam White | 18 | 2mm x 1000mm x 15m | 15 | No |
| 540581 | Polyfoam White | 19 | 2mm x 1000mm x 120m | 120 | No |
| 540585 | XPS Foam | 20 | 5mm x 856mm x 600mm | 9.76 | No |

| PROFILES | | | | |
|--------------|----------------------------|---------|----------------|------------------|
| Product Code | Description | Species | Size mm | Finish |
| 437004 | White Scotia | MDF | 18 x 18 x 2400 | White Effect |
| 437213 | Oak Scotia | Oak | 18 x 18 x 2700 | UV Satin Lacquer |
| 437204 | Oak Scotia | Oak | 18 x 18 x 2700 | Unfinished |
| 437503 | End Cap Trim with Fixing | Oak | 19 x 40 x 900 | UV Satin Lacquer |
| 437501 | End Cap Trim with Fixing | Oak | 19 x 40 x 2700 | UV Satin Lacquer |
| 437180 | End Cap Trim with Fixing | Oak | 19 x 40 x 900 | Unfinished |
| 437174 | End Cap Trim with Fixing | Oak | 19 x 40 x 2700 | Unfinished |
| 437504 | Ramp with Fixing | Oak | 20 x 63 x 900 | UV Satin Lacquer |
| 437506 | Ramp with Fixing | Oak | 20 x 63 x 2700 | UV Satin Lacquer |
| 437107 | Ramp with Fixing | Oak | 20 x 63 x 900 | Unfinished |
| 437179 | Ramp with Fixing | Oak | 20 x 63 x 2700 | Unfinished |
| 437508 | Twin Threshold with Fixing | Oak | 16 x 50 x 900 | UV Satin Lacquer |
| 437510 | Twin Threshold with Fixing | Oak | 16 x 50 x 2700 | UV Satin Lacquer |
| 437178 | Twin Threshold with Fixing | Oak | 16 x 50 x 900 | Unfinished |
| 437177 | Twin Threshold with Fixing | Oak | 16 x 50 x 2700 | Unfinished |
| ACC5017 | Flat Threshold | Oak | 6 x 45 x 900 | UV Satin Lacquer |
| 437111 | Flat Threshold | Oak | 6 x 45 x 2700 | UV Satin Lacquer |
| ACC5019 | Flat Threshold | Oak | 6 x 45 x 900 | Unfinished |
| 437113 | Flat Threshold | Oak | 6 x 45 x 2700 | Unfinished |
| 530257 | Semi Ramp with Fixing | Oak | 18 x 59 x 900 | UV Satin Lacquer |
| 530256 | Semi Ramp with Fixing | Oak | 18 x 59 x 2700 | UV Satin Lacquer |
| ACC5023 | Semi Ramp with Fixing | Oak | 18 x 59 x 900 | Unfinished |
| ACC5024 | Semi Ramp with Fixing | Oak | 18 x 59 x 2700 | Unfinished |
| 530282 | Stair Nosing | Oak | 44 x 60 x 1000 | UV Satin Lacquer |
| 530281 | Stair Nosing | Oak | 44 x 60 x 3000 | UV Satin Lacquer |
| ACC5027 | Stair Nosing | Oak | 44 x 60 x 1000 | Unfinished |
| ACC5028 | Stair Nosing | Oak | 44 x 60 x 3000 | Unfinished |

HERITAGE AND FUTURE COMBINED

Atkinson & Kirby was established in 1903 by John Atkinson and John Kirby. Tradition is an integral part of Atkinson & Kirby and we are proud to still manufacture a large selection of our flooring accessories at our mill in Chirk, North Wales. Since our establishment we still retain the original close-knit family environment feel, with everyone working together to ensure we provide the highest quality flooring that exceeds our customers expectations.

In 2003, Atkinson & Kirby was acquired by Richard Burbidge, the UK's leading manufacturer and supplier of stairparts, mouldings and decking balustrade. Richard Burbidge also have an extensive business history, originating in Coventry in 1867, and stays true to its family-run roots to this day. Our passion and expertise for hardwood flooring, combined with Richard Burbidge's decades of experience with timber, makes us a market leader in hardwood flooring.

Today, Atkinson & Kirby remains a family-run business with Josh Burbidge as Managing Director, and Richard Burbidge as Chairman. There is still the same emphasis and commitment today to quality, customer service and the finest traditions of British craftsmanship instilled by its founders in 1903. We are committed to finding new and innovative concepts and designs, whilst providing the authentic flooring our customers are accustomed to. With so many years under our belt at Atkinson & Kirby, we have a wealth of knowledge and expertise at our finger tips, our floors can be seen in many high-profile developments across every industry.

We combine over a century of skill and craft with leading technology to develop the next generation of hardwood flooring, making Atkinson & Kirby an industry leader.



Right: Seba Oak





Atkinson
& Kirby

T: 01695 573234
Scotland T: 01506 505030
sales@akirby.co.uk
www.akirby.co.uk

Scan this QR code
to visit the
Atkinson & Kirby
website.

